John R. Coffee et al.

Serial No.:

09/659,850

Filed:

Page 2

September 11, 2000

LISTING OF CLAIMS:

Please replace all prior claims with the following listing of claims:

1. (Original) A wireless gateway for connecting mobile and remote assets or

human resources to business enterprise users through multiple wireless networks and the

Internet by using web served applications, said gateway comprising:

location aware business logic for sending and receiving location based

information to and from remote and mobile assets and an enterprise user, and for

applying business logic to said location information to enhance and automate business

applications run by the enterprise user,

said business logic providing a common interface and protocol for handling said

location information and enabling applications that follow said protocol to interface with

said gateway to use said location information to trigger events or to tag events, messages,

or other data.

2. (Original) The wireless gateway of claim 1, wherein said remote assets

include at least one handheld portable device operating on a wireless network.

3. (Original) The wireless gateway of claim 1, wherein said mobile assets

include vehicles, and navigation and sensor devices mounted respectively to at least some

of said vehicles and operating on a wireless network.

4. (Original) The wireless gateway of claim 1, wherein said business logic

includes means for bundling together of small, frequent data items into large, less

frequent data packets for insertion into a queuing system to accommodate low packet

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 3

throughput rates of a software queue, for messaging on a wireless network between said

remote and mobile assets or human resources and said business enterprise users.

5. (Original) The wireless gateway of claim 1, wherein said remote and

mobile assets include:

at least some hybrid systems, each hybrid system including

a handheld portable device, and

a combined navigation and sensor device mounted to a vehicle,

each of said devices operating on a wireless network.

6. (Original) The wireless gateway of claim 5, including means for short

range wireless connection between said handheld portable device and said vehicle-

mounted combined navigation and sensor device of each said hybrid system.

7. (Original) The wireless gateway of claim 3, wherein said navigation and

sensor devices include means for detecting arrival and departure of the respective

vehicles to which said devices are mounted, at and from job sites.

8. (Original) The wireless gateway of claim 7, wherein said navigation and

sensor devices include means for reporting said site arrival and departure to an enterprise

user on said wireless network via said gateway.

9. (Original) The wireless gateway of claim 7, including means for

establishing work orders and for communicating instructions from an enterprise user to at

least some of said vehicles for dispatching thereof to job sites according to the established

work orders.

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 4

10. (Original) The wireless gateway of claim 9, further including means for

automatically deriving work order status from reported site arrival and departure.

11. (Original) The wireless gateway of claim 8, wherein said navigation and

sensor devices include means for recognizing a job site as being active for a preset time

period, during which said reporting of respective vehicle arrival at and departure from

said site is maintained, and for discarding information regarding location and status of

said site after said time period expires.

12. (Original) The wireless gateway of claim 2, wherein said handheld

portable device includes logic means for detecting arrival at and departure from a

preselected site by said device.

13. (Original) The wireless gateway of claim 12, wherein said handheld

portable device includes means for automatically reporting said detected arrival at and

departure from said preselected site to an enterprise user on said wireless network via

said gateway.

14. (Original) The wireless gateway of claim 3, wherein said navigation and

sensor devices includes logic means for detecting arrival at and departure from a

preselected site by respective vehicles to which said devices are mounted.

15. (Original) The wireless gateway of claim 14, wherein said navigation and

sensor devices include means for automatically reporting said detected arrival at and

departure from said preselected site by their respective vehicles to an enterprise user on

said wireless network via said gateway.

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 5

16. (Original) The wireless gateway of claim 1, wherein said business logic

includes means for bundling frequent asset and resources location reports into large

infrequent message packets for reduction of message overhead in messaging between

said remote and mobile assets or human resources and said business enterprise users on a

wireless network, including sending a full location report followed by reports on changes

in location that occupy a comparatively smaller amount of bandwidth.

17. (Original) The wireless gateway of claim 2, wherein said handheld

portable device includes logic means for detecting preselected events including type and

location of each event encountered by said device during movement thereof, and means

for reporting said events to an enterprise user on said wireless network via said gateway.

18. (Original) The wireless gateway of claim 17, wherein said logic means of

said handheld portable device includes means for detecting street address or other site

location of an event.

19. (Original) The wireless gateway of claim 3, wherein said navigation and

sensor devices include means for detecting preselected events including type and location

of each event encountered by said respective vehicles during activity thereof, and means

for reporting said events to an enterprise user on said wireless network via said gateway.

20. (Original) The wireless gateway of claim 19, wherein said detecting

means detects street address or other site location of an event.

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 6

21. (Original) The wireless gateway of claim 1, including an extensible

markup language (XML) interface to said wireless gateway for extending the

functionality thereof.

22. (Original) A method for connecting mobile and remote assets or human

resources to business enterprise users through multiple wireless networks and the Internet

via a wireless gateway by using web served applications, said method comprising:

sending and receiving location based information to and from remote and mobile

assets by means of location aware business logic in said gateway, and applying said

business logic to said location information to enhance and automate business applications

run by an enterprise user, and

providing a common interface and protocol for handling said location information

with said business logic for enabling applications that follow said protocol to interface

with said gateway and use said location information to trigger events or to tag events,

messages, or other data.

23. (Original) The method of claim 22, including using at least some handheld

portable devices operating on a wireless network as said remote assets.

24. (Original) The method of claim 22, including using vehicles with

navigation and sensor devices mounted respectively thereto operating on a wireless

network as said mobile assets.

25. (Original) The method of claim 22, including bundling together small,

frequent data items into large, less frequent data packets for insertion into a queuing

system to accommodate low packet throughput rates of a software queue, and conducting

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 7

messaging with said bundled data packets on a wireless network between said remote and

mobile assets or human resources and said business enterprise users.

26. (Original) The method of claim 22, including using at least some hybrid

systems, each hybrid system including a handheld portable device and a combined

navigation and sensor device mounted to a vehicle, with each of said devices operating

on a wireless network, as said remote and mobile assets.

27. (Original) The method of claim 26, including transmitting data via short

range wireless connection between said handheld portable device and said vehicle-

mounted combined navigation and sensor device of each said hybrid system.

28. (Original) The method of claim 24, including detecting arrival at and

departure from job sites by said vehicles by means of said respective navigation and

sensor devices mounted to the vehicles.

29. (Original) The method of claim 28, including reporting said site arrival

and departure of each of said vehicles to an enterprise user on said wireless network via

said gateway, by means of said respective navigation and sensor devices mounted to the

vehicles.

30. (Original) The method of claim 28, including establishing work orders,

and communicating instructions from an enterprise user to at least some of said vehicles

for dispatching thereof to job sites according to the established work orders.

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 8

31. (Original) The method of claim 30, further including automatically

deriving work order status from reported site arrival and departure.

32. (Original) The wireless gateway of claim 29, including recognizing a job

site as being active for a preset time period by means of said navigation and sensor

devices, and maintaining said reporting of respective vehicle arrival at and departure

from said site during said time period, and discarding information regarding location and

status of said site after said time period expires.

33. (Original) The method of claim 23, including detecting arrival at and

departure from a preselected site by said handheld portable device.

34. (Original) The method of claim 33, including automatically reporting from

said handheld portable device the detected arrival at and departure from said preselected

site of said device to an enterprise user on said wireless network via said gateway.

35. (Original) The method of claim 24, including detecting arrival at and

departure from a preselected site by said vehicles by means of said navigation and sensor

devices mounted to respective ones of said vehicles.

36. (Original) The method of claim 35, including automatically reporting from

said navigation and sensor devices said detected arrival at and departure from said

preselected site by their respective vehicles to an enterprise user on said wireless network

via said gateway.

John R. Coffee et al.

Serial No.:

09/659,850

Filed: Page 9

September 11, 2000

37. (Original) The method of claim 22, including bundling frequent asset and resources location reports into large infrequent message packets for reduction of message overhead in messaging between said remote and mobile assets or human resources and

said business enterprise users on a wireless network via said gateway.

38. (Original) The method of claim 37, including sending full reports of

respective location from said assets or resources followed by at least occasional reports of

respective changes in location that occupy a comparatively smaller amount of bandwidth.

39. (Original) The method of claim 23, including detecting preselected events

including type and location of each event encountered by said handheld portable device

during movement thereof, and reporting said events to an enterprise user on said wireless

network via said gateway with said device.

40. (Original) The method of claim 39, including detecting street address or

other site location of an event with said device.

41. (Original) The method of claim 24, including detecting preselected events

including type and location of each event encountered by said vehicles during activity

thereof by means of said navigation and sensor devices respectively mounted thereto, and

reporting said events to an enterprise user on said wireless network via said gateway with

said devices.

42. (Original) The method of claim 41, including detecting street address or

other site location of an event with said devices.

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 10

43. (Original) The method of claim 22, including interfacing an extensible

markup language (XML) interface to said wireless gateway for extending the

functionality thereof.

44. (Original) A system for efficient management of transportable assets

including vehicles and portable units of a business enterprise constituting a customer of

said system, said system comprising:

a wireless gateway,

wireless devices disposed in said assets and connectable to said wireless gateway

through at least one wireless data network,

said business enterprise having

asset management apparatus connected by browsers through the Internet

to said wireless gateway, and

business applications served over the Internet for processing data for

managing said assets,

said wireless gateway including location aware core business logic for tying said

assets and said business applications together through a common set of protocols and

interfaces for enabling said business applications to use data indicative of location of said

assets.

45. (Original) The system of claim 44, wherein said core business logic and

said business applications are implemented at a web site for said wireless gateway.

46. (Original) The system of claim 44, wherein said core business logic

manages said customer's login accounts and access to location and availability data

regarding said assets.

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 11

47. (Original) The system of claim 46, wherein said core business logic

further manages communications between said wireless devices and said business

enterprise and access to said at least one wireless network.

48. (Original) The system of claim 44, wherein said wireless gateway includes

routers for routing data communications between said customer at the business enterprise

and said wireless devices through said core business logic, and said core business logic

includes a database and interfaces to said business applications.

49. (Original) The system of claim 44, wherein said business applications

include mapping and text messaging applications tightly coupled to said core business

logic for facilitating use of asset and geographic site location information and message

routing functions of said wireless gateway.

50. (Original) The system of claim 49, wherein said business applications

further include work order management and dispatching applications for maintaining

work orders and scheduling said assets comprising vehicles at job sites constituting

locations where work is to be performed, and said wireless gateway includes means

responsive to creation of a job site for storing site location information indicative thereof

and means for sending said site location information to vehicles dispatched by said

dispatching application to said job site under a work order, each of said vehicles

including means for automatically transmitting data to said wireless gateway indicative of

events including vehicle arrival at and departure from said job site, said wireless gateway

further including means for transmitting said event-indicative data from said vehicles to

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 12

said work order management application for automatically changing the status of said

work order accordingly, whereby to enable said work order management and dispatching

applications to keep track of locations of said vehicles or personnel associated with said

vehicles relative to said job site.

51. (Original) The system of claim 50, wherein at least some of said vehicles

include a wireless device comprising a sensor only device mounted thereon and having a

short range wireless interface.

52. (Currently amended) The system of claim 49, wherein said mapping and

text messaging applications include a mapping application which includes street level

map data and map control application, and said business enterprise includes a local

computer with said street level map data and map control application resident thereon and

an application server with a data channel for providing asset location information

therethrough directly from said application server to said mapping application, for

seamless location data updates and smooth interaction with said map and said assets

depicted thereon and with Internet delivery of code and map database updates.

53. (Original) The system of claim 52, further including means for initiating

mapping functions from others of said business applications and initiating functions of at

least some of said other business applications from the mapping interface of said

mapping application.

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 13

54. (Original) The system of claim 52, wherein said data channel is further

adapted to transmit procedure calls to and from others of said business applications and

said core business logic.

55. (Original) The system of claim 49, wherein said assets comprise vehicles

each including at least one of said wireless devices mounted therein, each of said vehicles

further including means for detecting and reporting location data in the form of geodetic

position, along with speed and heading of the respective vehicle, to said business

enterprise through said wireless gateway and said messaging application from the

respective wireless device periodically and, together with other data, in response to

sensing of events encountered by said vehicle.

56. (Original) The system of claim 55, wherein said location data in the form

of geodetic position, along with speed and heading is stored in the said database at said

business enterprise, and said mapping application displays each said position as the

corresponding data are received and further displays historical location data when

requested.

57. (Original) The system of claim 55, wherein said event reports are tagged

to vehicle location in real time, said event reports including speeding exceptions,

unauthorized stops, text messages initiated by field personnel, and automated status

reporting such as arrival at a job site by the respective vehicle.

58. (Original) The system of claim 55, wherein said wireless gateway includes

means for guaranteeing delivery of said reports.

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 14

59. (Original) A method for efficient management of transportable assets

including vehicles of a business enterprise, comprising the steps of:

placing wireless devices in said assets for connection to a wireless gateway

through at least one wireless data network,

connecting asset management apparatus of said business enterprise to said

wireless gateway by browsers through the Internet, for serving business applications of

said business enterprise over the Internet to process data for managing said assets,

providing said wireless gateway with location aware core business logic for tying

said assets and business applications together through a common set of protocols and

interfaces, whereby to enable said business applications to obtain data indicative of

location of said assets.

60. (Original) The method of claim 59, including managing login accounts of

said business enterprise and access to location and availability data regarding said assets

of said business enterprise, with said core business logic.

61. (Original) The method of claim 60, further including managing

communications between said wireless devices and said business enterprise and access to

said at least one wireless network with said core business logic.

62. (Original) The method of claim 59, including routing data

communications between said business enterprise and said wireless devices via said

wireless gateway through said core business logic.

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 15

63. (Original) The method of claim 59, including:

storing information at said wireless gateway indicative of location of a job site designated by work order management and dispatching applications of said business applications for maintaining work orders and scheduling said vehicles where work is to

be performed,

sending said stored job site location information from said wireless gateway to

vehicles dispatched by a dispatching application to said job site under a work order, and

transmitting data via said wireless gateway indicative of events sensed by said

vehicles including vehicle arrival at and departure from said job site, to a work order

management application for updating said work order accordingly, whereby to enable

said business enterprise to maintain an ongoing record of the state of completion of

scheduled work of each vehicle relative to said job site.

64. (Original) The method of claim 63, including mounting a sensor only

device as the wireless device with a short range wireless interface in at least some of said

vehicles.

65. (Original) The method of claim 59, including:

providing a mapping application as one of said business applications and a local

computer at said business enterprise with said street level map data and map control

application resident thereon and an application server with a data channel for providing

asset location information therethrough directly from said application server to said

mapping application, to permit seamless location data updates and smooth interaction

with said map and said assets depicted thereon and with Internet delivery of code and

map database updates.

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 16

66. (Original) A method of communicating between a business enterprise and

remote mobile assets of the business enterprise outfitted with wireless devices, through

multiple wireless networks and the Internet, said method comprising:

establishing a wireless gateway with location aware business logic for enhancing

said communication using web served business applications run by said business

enterprise, and

providing a common interface and protocol for communicating location based

information to and from the wireless devices of said remote mobile assets and said

business enterprise via said location aware business logic to enable said business

applications that follow said protocol to interface with said wireless gateway.

67. (Original) The method of claim 66, including employing event sensors of

said wireless devices with a short range wireless interface in at least some of said mobile

assets, and using said location based information to trigger sensing of events or to tag

events, messages, or other data communicated between the wireless devices of said

remote mobile assets and said business enterprise.

68. (Original) The method of claim 66, including communicating frequent

periodic reports of location based information from said mobile assets by bundling said

reports into large packets for less frequent transmission via said wireless gateway.

69. (Original) The method of claim 68, including using a user datagram

protocol for transmitting said report packets, together with a limited guaranteed delivery

protocol therefor.

John R. Coffee et al.

Serial No.:

09/659.850

Filed:

September 11, 2000

Page 17

70. (Original) The method of claim 68, including organizing data to be

included in said reports into groups for summary reporting.

71. (Original) The method of claim 66, including limiting queries by users in

said business enterprise to said mobile assets to obtain data therefrom to a selectable time

range and to data items for which the respective user has authorized access from said

business enterprise.

72. (Original) The method of claim 66, including displaying locations of at

least some of said mobile assets on a map within a web browser connected to a web

server of said business enterprise, where data pertaining to said mobile assets are pushed

to a map controlling application among said business applications within said browser

using a connection to a second server that provides said mobile asset data.

73. (Original) The method of claim 72, including storing map data on a local

computer of the business enterprise running said web browser, and updating the map data

automatically when new information becomes available on said web server.

74. (Original) The method of claim 72, including storing said map controlling

application on a local computer of the business enterprise running said web browser, and

updating the map controlling application automatically when new software therefor

becomes available on said web server.

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 18

75. (Original) The method of claim 72, wherein at least some of said mobile

assets are vehicles to be dispatched to and from job sites where work or storage is to be

performed in a geographic territory of interest to said business enterprise, and including:

storing information at said wireless gateway indicative of location of a job site

designated by work order management and dispatching applications among said business

applications for maintaining work orders and scheduling said vehicles relative to said job

site,

transmitting said stored job site location information from said wireless gateway

to vehicles dispatched by a dispatching application to said job site under a work order,

and

relaying data via said wireless gateway from said vehicles indicative of sensed

events including vehicle arrival at and departure from said job site, to a work order

management application for automatically changing the status of said work order

accordingly, whereby to enable said business enterprise to track locations and status of

said vehicles relative to said job site.

76. (Original) The method of claim 75, including bandwidth reducing periodic

reporting of location based information from said mobile assets by data compression and

packet bundling to lessen frequency of report transmissions to said business enterprise via

said wireless gateway.

77. (Original) The method of claim 76, including using a user datagram

protocol for said report packets, and a limited guaranteed delivery protocol therefor by

attempting delivery of messages for a predetermined period of time and upon expiration

of said time period without successful delivery of a message, notifying the user thereof.

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 19

78. (Original) The method of claim 76, including organizing data to be

included in said reports into groups for summary reporting.

79. (Original) The method of claim 75, including organizing and maintaining

data regarding type, capability and status of each vehicle for said work order management

application.

80. (Original) The method of claim 79, including using said location aware

business logic in said wireless gateway in conjunction with data obtained from said

wireless devices regarding type, capability and status of each vehicle to obtain unit, type,

historical summaries, and historical trend analyses for a fleet of vehicles operated by said

business enterprise.

81. (Original) The method of claim 67, wherein at least some of said mobile

assets are vehicles, and including sensing of speed, distance, and heading from vehicle

navigation, and sensing equipment utilization of the vehicles, and transmitting sensed

data via said wireless devices.

82. (Original) The method of claim 67, wherein at least some of said mobile

assets are vehicles, and including sensing and reporting selected events generated by

vehicle sensors via said wireless devices over a predetermined time duration, and creating

groups of reported events by selecting a start event and an end event of events to be

reported.

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 20

83. (New) A wireless gateway for connecting mobile and remote assets or human

resources to business enterprise users through at least one wireless network, said gateway

comprising:

location aware business logic for sending and receiving location based

information to and from remote and mobile assets and an enterprise user, and for

applying business logic to said location information to enhance and automate business

applications run by the enterprise user, wherein said remote assets include at least one

handheld portable device operating on a wireless network;

said business logic providing an interface and protocol for handling said location

information and enabling applications that follow said protocol to interface with said

gateway to use said location information to trigger events or to tag events, messages, or

other data.

84. (New) A wireless gateway for connecting mobile and remote assets or human

resources to business enterprise users through at least one wireless network, said gateway

comprising:

location aware business logic for sending and receiving location based

information to and from remote and mobile assets and an enterprise user, and for

applying business logic to said location information to enhance and automate business

applications run by the enterprise user, wherein said mobile assets include vehicles, and

navigation and sensor devices mounted respectively to at least some of said vehicles and

operating on a wireless network;

said business logic providing an interface and protocol for handling said location

information and enabling applications that follow said protocol to interface with said

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 21

gateway to use said location information to trigger events or to tag events, messages, or

other data.

85. (New) A wireless gateway for connecting mobile and remote assets or human

resources to business enterprise users through at least one wireless network, said gateway

comprising:

location aware business logic for sending and receiving location based

information to and from remote and mobile assets and an enterprise user, and for

applying business logic to said location information to enhance and automate business

applications run by the enterprise user;

said business logic providing an interface and protocol for handling said location

information and enabling applications that follow said protocol to interface with said

gateway to use said location information to trigger events or to tag events, messages, or

other data,

wherein said remote and mobile assets include:

at least some hybrid systems, each hybrid system including

a handheld portable device, and

a combined navigation and sensor device mounted to a vehicle,

each of said devices operating on a wireless network.

86. (New) A method for connecting mobile and remote assets or human resources to

business enterprise users through at least one wireless network, said method comprising:

sending and receiving location based information to and from remote and mobile

assets by means of location aware business logic in said gateway, including using at least

some handheld portable devices operating on a wireless network as said remote assets,

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 22

and applying said business logic to said location information to enhance and automate

business applications run by an enterprise user, and

providing an interface and protocol for handling said location information with

said business logic for enabling applications that follow said protocol to interface with

said gateway and use said location information to trigger events or to tag events,

messages, or other data.

87. (New) A method for connecting mobile and remote assets or human resources to

business enterprise users through at least one wireless network, said method comprising:

sending and receiving location based information to and from remote and mobile

assets by means of location aware business logic in said gateway, and applying said

business logic to said location information to enhance and automate business applications

run by an enterprise user, and

providing a common interface and protocol for handling said location information

with said business logic for enabling applications that follow said protocol to interface

with said gateway and use said location information to trigger events or to tag events,

messages, or other data,

including using at least some hybrid systems, each hybrid system including a

handheld portable device and a combined navigation and sensor device mounted to a

vehicle, with each of said devices operating on a wireless network, as said remote and

mobile assets.

88. (New) A system for efficient management of transportable assets including

vehicles and portable units of a business enterprise constituting a customer of said

system, said system comprising:

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 23

a wireless gateway,

wireless devices disposed in said assets and connectable to said wireless gateway through at least one wireless data network,

said business enterprise having

asset management apparatus connected to said wireless gateway, and business applications for processing data for managing said assets,

said wireless gateway including location aware core business logic for tying said assets and said business applications together through a set of protocols and interfaces for enabling said business applications to use data indicative of location of said assets.

89. (New) A method for efficient management of transportable assets including vehicles of a business enterprise, comprising the steps of:

placing wireless devices in said assets for connection to a wireless gateway through at least one wireless data network,

connecting asset management apparatus of said business enterprise to said wireless gateway, for serving business applications of said business enterprise to process data for managing said assets,

providing said wireless gateway with location aware core business logic for tying said assets and business applications together through a set of protocols and interfaces, whereby to enable said business applications to obtain data indicative of location of said assets.

90. (New) A method of communicating between a business enterprise and remote mobile assets of the business enterprise outfitted with wireless devices, through at least one wireless network, said method comprising:

ï

John R. Coffee et al.

Serial No.:

09/659,850

Filed:

September 11, 2000

Page 24

establishing a wireless gateway with location aware business logic for enhancing

said communication using web served business applications run by said business

enterprise, and

providing an interface and protocol for communicating location based information

to and from the wireless devices of said remote mobile assets and said business enterprise

via said location aware business logic to enable said business applications that follow

said protocol to interface with said wireless gateway, including employing event sensors

of said wireless devices with a short range wireless interface in at least some of said

mobile assets, and using said location based information to trigger sensing of events or to

tag events, messages, or other data communicated between the wireless devices of said

remote mobile assets and said business enterprise.

91. (New) A wireless gateway for connecting mobile and remote assets or human

resources to business enterprise users through at least one wireless network, said gateway

comprising:

a vehicle mounted sensor device for collecting data related to at least one

operating parameter or condition of said vehicle;

a handheld mobile device connected to over a wireless network to a business

enterprise user at a central location, and wherein the vehicle mounted sensor device is

connected to the hand held mobile device through a short range wireless network;

wherein data collected by the vehicle mounted sensor device is transmitted over

the gateway to a business enterprise user at the central location.